

8 000 kg



m	Diagram	Load Capacity		Span (m)													m
		8000 kg	4000 kg	15	18	23	28	33	38	40	45	50	55	60	65		
65	19000kg 9x2000kg + 1x1000kg	15,3	28,9	4000	4000	4000	4000	3780	3210	3030	2630	2310	2050	1830	1650	kg	
				8000	7390	5670	4560	3780	3210	3030	2630	2310	2050	1830	1650		
60	18000kg 9x2000kg	17,6	33,3	4000	4000	4000	4000	4000	3790	3580	3120	2750	2450	2200	kg		
				8000	8000	6620	5340	4450	3790	3580	3120	2750	2450	2200			
55	18000kg 9x2000kg	18,8	35,4	4000	4000	4000	4000	4000	4000	3840	3350	2960	2640	kg			
				8000	8000	7080	5720	4770	4070	3840	3350	2960	2640				
50	17000kg 8x2000kg + 1x1000kg	19,4	36,7	4000	4000	4000	4000	4000	4000	3990	3480	3080	kg				
				8000	8000	7340	5930	4950	4230	3990	3480	3080					
45	16000kg 8x2000kg	20,1	38,0	4000	4000	4000	4000	4000	4000	4000	3630	kg					
				8000	8000	7630	6170	5150	4400	4150	3630						
40	15000kg 7x2000kg + 1x1000kg	20,2	38,2	4000	4000	4000	4000	4000	4000	4000	kg						
				8000	8000	7680	6210	5180	4430	4180							
38	13000kg 6x2000kg + 1x1000kg	20,1	38,0	4000	4000	4000	4000	4000	4000	kg							
				8000	8000	7630	6170	5150	4400								
33	11000kg 5x2000kg + 1x1000kg	19,4	36,7	4000	4000	4000	4000	4000	kg								
				8000	8000	7340	5930	4950									
28	19000kg 5x2000kg	18,1	34,2	4000	4000	4000	4000	kg									
				8000	8000	6820	5500										






10 000 kg







m	Diagram	Load Capacity		Span (m)													m
		10000 kg	5000 kg	15	18	23	28	33	38	40	45	50	55	60	65		
65	19000kg 9x2000kg + 1x1000kg	12,4	23,6	5000	5000	5000	4560	3780	3210	3030	2630	2310	2050	1830	1650	kg	
				8980	7390	5670	4560	3780	3210	3030	2630	2310	2050	1830	1650		
60	18000kg 9x2000kg	14,3	27,3	5000	5000	5000	5000	4450	3790	3580	3120	2750	2450	2200	kg		
				10000	8620	6620	5340	4450	3790	3580	3120	2750	2450	2200			
55	18000kg 9x2000kg	15,2	29,0	5000	5000	5000	5000	4770	4070	3840	3350	2960	2640	kg			
				10000	9200	7080	5720	4770	4070	3840	3350	2960	2640				
50	17000kg 8x2000kg + 1x1000kg	15,7	30,0	5000	5000	5000	5000	4950	4230	3990	3480	3080	kg				
				10000	9530	7340	5930	4950	4230	3990	3480	3080					
45	16000kg 8x2000kg	16,3	31,1	5000	5000	5000	5000	5000	4400	4150	3630	kg					
				10000	9900	7630	6170	5150	4400	4150	3630						
40	15000kg 7x2000kg + 1x1000kg	16,4	31,3	5000	5000	5000	5000	5000	4430	4180	kg						
				10000	9960	7680	6210	5180	4430	4180							
38	13000kg 6x2000kg + 1x1000kg	16,3	31,1	5000	5000	5000	5000	5000	4400	kg							
				10000	9900	7630	6170	5150	4400								
33	11000kg 5x2000kg + 1x1000kg	15,7	30,0	5000	5000	5000	5000	4950	kg								
				10000	9530	7340	5930	4950									
28	19000kg 5x2000kg	14,7	28,0	5000	5000	5000	5000	kg									
				10000	8860	6820	5500										





			A (mm)	B (mm)	C (mm)	kg	
Jib / Lança / Fleche / Braccio		L68	11970	1900	2300	5050	
/ Ausleger / кливер		L69	11960	1160	2260	1650	
		L73	5230	1160	2260	750	
		L70	6200	1160	1950	680	
		L56	5200	1160	1930	590	
		L76	5180	1160	1610	370	
		L65	5110	1160	1610	2x330 660	
		L66	5110	1160	1610	300	
		L67	5110	1160	1610	290	
Head turntable / Cabeçote / Pivot		RS9	2505	1700	1950	4650	
/ Testa giradischi / Kopfplattenspieler		RI9	2505	1700	1950	4650	
		P8	2230	1300	820	830	
Counter-jib / Contra lança / Contre-flèche		CL15	1845	1220	2260	750	
/ Gegenausleger / Контр-стрела		CL4	11400	1500	500	4000	
Counterweight / Contrapeso / Contrepoids		CP2	1160	330	3140	9x2000 18000	
/ Gegengewicht / Противовес		CP3	1160	165	3140	1000	
Tower section / torre / Coupe tour / Sezione torre		B1	12000	1620	1620	3450	
/ Turmabschnitt / Секция башни		B1	6130	1620	1620	1800	
		B1	3195	1620	1620	1070	
Climbing tower section		B1	3195	1830	1830	1100	
Foundation anchor / Tramo encastrar /		B1	1775	1600	1600	650	
Base Chassis		B1	6620	500	1040	2190	
			3120	340	1040	2x980 1960	
						TOTAL	4150
Base Chassis		B1s	5620	500	1040	1800	
			2710	340	1040	2x900 1800	
						TOTAL	3600




	
	0 a 1 r.p.m. 2x6,5 daN.m
	0 a 60 m/min 5,5 kW
	0-10 m/min 2x4 kW





	
	0 a 75 m/min 0 a 37,5 m/min
22 kW	




	48 kVA 400 V +- 5% (50/60 Hz)
--	----------------------------------



	
	0 a 94 m/min 0 a 47 m/min
30 kW	




	58 kVA 400 V +- 5% (50/60 Hz)
--	----------------------------------

Max height of hoist







/ 6x





40' High Cube



1





2





3




4




5



6






STAFFORD SOIMA

TOWER CRANES

STAFFORD SOIMA, SA

Headquarters

 3620 S. 40th Street , Phoenix , AZ, 85040 USA

 +1 (480) 993 3302

Factory

 Zona Industrial de Canas de Senhorim - EN 234, 3525-040 Canas de Senhorim - Portugal

 +351 232 673 530  info@staffordsoima.com

 staffordsoima.com